



DEGREASING AND CLEANING PLANTS

EVT Eiberger Verfahrenstechnik GmbH

Our small **BAMBINO** is widely used for the parts cleaning and degreasing activities for many industries, such as metal machining, electronics, medical implants and instruments, jewellery, visual components to aerospace parts. It can be coordinated with most cleaning tasks.


The **BAMBINO** embodies many typical features of an EVT plant and depending on its purposes it can be equipped with the corresponding additional options. The programmable logic controller (PLC) enables to have a detailed and exact adjustment on the desired application.



Typical front loading machines still hold the latent risk of solvent leakage in the event of door opening due to a technical fault.

The larger the content of a plant, the more important are the safety requirements to avoid damages from leaking solvent.

EVT - FRONT-TOP-LOADERS provide TOP-security!



The working chambers of these plants are below the level of the loading gates and therefore prevent any kind of solvent leakage even in the event of a technical fault.

Technical data

Usable solvents:	Perchloroethylene (PER) Trichloroethylene (TRI) Methylene Chloride (DCM) Hydrocarbons (A III) Modified alcohols (A III) Brominated Hydrocarbons (nPB)
Solvent content:	200 - 1000 dm ³
Weight of the plant:	1200 - 2000 kg
Throughput:	4 - 10 charges/h up to 150 kg/h
Dimensions of the basket:	370 x 220 x 200 mm 480 x 320 x 200 mm 480 x 320 x 300 mm special baskets on demand
External dimensions:	3000 x 1800 x 2500 mm
Operating mode:	1 - 3 shifts

BAMBINO - FRONT-TOP-LOADER



www.evt-gmbh.eu